Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14018	(709/203,217,218,219,227, 228,232,236).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/09 14:51
L2	2	(Free$3 OR Releas$3) NEAR4 socket NEAR6 virtual NEAR4 connection NEAR5 transfer$3 NEAR5 (data OR information OR messages) NEAR5 application NEAR5 (process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L3	2	(Free$3 OR Releas$3) SAME socket SAME virtual SAME connection SAME transfer$3 SAME (data OR information OR messages) SAME application SAME (process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L4	3	(Free$3 OR Releas$3) SAME socket SAME virtual SAME connection SAME transfer$3 SAME (data OR information OR messages)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L5	51	(Free$3 OR Releas$3) SAME socket SAME virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 16:22
L6	1	((Free$3 OR Releas$3) SAME socket SAME virtual) SAME finish$3 SAME TRANSFER$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L7	49	creat$3 WITH releas$3 WITH socket	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L8	180566	(finish$3 OR complet$3)WITH (transmit$4 OR transfer$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L9	3	(creat$3 WITH releas$3 WITH socket) AND ((finish$3 OR complet$3)WITH (transmit$4 OR transfer$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L10	126	releas$3 NEAR3 socket NEAR3 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L11	47	assign$3 NEAR3 socket NEAR4 application	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51

L12	6	((709/203,217,218,219,227, 228,232,236).CCLS.) AND (releas$3 NEAR3 socket NEAR3 connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L13	12	((709/203,217,218,219,227, 228,232,236).CCLS.) AND (assign$3 NEAR3 socket NEAR4 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L14	1	(socket WITH assignment)SAME (random OR (round ADj robin) OR (user NEAR2 defin$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L15	22	(socket WITH assign$4)SAME (random OR (round ADj robin) OR (user NEAR2 defin$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L16	1	random WITH socket WITH assignment	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L17	12	random$3 WITH socket WITH assign$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L18	173	socket WITH assign$4 WITH application	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L19	20	(socket WITH assign$4 WITH application) AND ((709/203, 217,218,219,227,228,232, 236).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L20	11	((socket WITH assign$4 WITH application) AND ((709/203, 217,218,219,227,228,232, 236).CCLS.)) AND (transfer$3 NEAR3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L21	7	(parallel NEAR3 data NEAR3 transfer$4)SAME(multipl$5 OR plural$3) SAME socket	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L22	2	socket NEAR2 pair NEAR4 TECHNIQUE	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L23	9	BOUND$3 near3 SOCKET near3 (APPLICATION OR (SERVER adj APPLICATION))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L24	1957	("same" OR single OR one) NEAR4 ((virtual NEAr connection) OR (socket NEAR connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51

L25	922916	(plurality OR two OR multiple)WITH (application OR (server NEAR application)OR process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L26	70	(("same" OR single OR one) NEAR4 ((virtual NEAr connection) OR (socket NEAR connection))) SAME ((plurality OR two OR multiple)WITH (application OR (server NEAR application)OR process OR thread))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L27	34	((("same" OR single OR one) NEAR4 ((virtual NEAr connection) OR (socket NEAR connection))) SAME ((plurality OR two OR multiple)WITH (application OR (server NEAR application)OR process OR thread))) AND @ad<"20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L28	2	creating NEAR plurality NEAR3 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L29	2	releas$3 NEAR3 socket	IBM_TDB	OR	ON	2005/03/09 14:51
L30	105	fault NEAR2 tolerance	IBM_TDB	OR	ON	2005/03/09 14:51
L31	1	socket AND (round NEAr2 robin)	IBM_TDB	OR	ON	2005/03/09 14:51
L32	8	socket AND thread AND process AND application AND server	IBM_TDB	OR	ON	2005/03/09 14:51
L33	3624	parallel NEAR3 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51
L34	121	(parallel NEAR3 socket) SAME (thread OR process)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51
L35	1	((parallel NEAR3 socket) SAME (thread OR process)) SAME bind$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51

L36	60	parallel WITH socket WITH process	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:51
L37	1	(parallel WITH socket WITH process) AND (server NEAR application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:51
L38	7	(parallel WITH socket WITH process) AND server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:51
L39	8	(("6622159") or ("6802065") or ("6192389") or ("6754701")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 14:51
L40	457	socket(process OR thread)assig$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L41	73	L40 (plural$4 OR multiple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L42	7	L41 (re$1use OR re$1bind$3 OR bind$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L43	4	(("6802065") or ("6754701") or ("6622159") or ("6192389")). PN.	USPAT	OR	OFF	2005/03/09 14:51
L44	130	socket assignment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 14:51

L45	2	L44 dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 14:51
L46	19	L44 (plural$3 OR multipl$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 14:51
L47	211	socket assign$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/03/09 14:51
L48	18	L47 (plural$3 OR multipl$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 14:51
L49	185	(bind$3 OR re$1bind$3) socket (application OR process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 14:51
L50	18	L49 (plural$3 OR multipl$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L51	17965	resource (allocat$3 OR assign$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/03/09 14:51
L52	96	L51 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L53	26	L52 (process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51

L54	15620	creat$3 NEAR2 (connection OR (virtual NEAR connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:51
L55	498	L54 SAME socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:51
L56	101	L55 SAME (process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:51
L57	16	L56 AND multi$1process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:51
L58	12	random$2 assign$3 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 14:51
L59	5300	plurality socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/03/09 14:51
L60	6	L59 (thread Or process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/03/09 14:51
L61	8809	plurality NEAR2 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/03/09 14:51
L62	9	L61 (thread Or process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/03/09 14:51

L63	215	assign$3 available IP address DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L64	5	L63 (random OR (round ADJ robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L65	572	(round ADJ robin)NEAR4 assign$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L66	1	L65 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L67	3980	random NEAR4 assign$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L68	7	L67 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L69	1024	user NEAR2 defin$3 NEAR4 assign$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L70	1	L69 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L71	181	socket (re$1bind$3 OR re$1use$3 OR re$1bound$3) (application OR process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51

L72	25	socket (re$1bind$3 OR re$1use$3 OR re$1bound$3) (application OR process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 17:11
L73	103	L67 AND socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L74	6	L73 AND thread process	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L75	3138	(719/310,31,312,313,314, 315,316,317,318,319,320). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 17:14
L76	3586	(releas$3 OR re$1bind$3)NEAR3 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 17:20
L77	5	L75 AND L76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L78	9	parallel data transmission socket (thread OR process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 14:51
L79	3	bind$3 socket (thread OR process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/03/09 16:52
L80	116	bind$3 socket (thread OR process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 17:16

L81	2086523 0	@ad<"20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 16:54
L82	82	80 AND 81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 16:54
L83	15	1 AND 82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 17:00
L87	8	(bind$3 OR bound$3) NEAR4 socket NEAR5 (thread OR process) NEAR6 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 17:07
L88	8	(bind$3 OR bound$3) NEAR4 socket NEAR5 (thread OR process) NEAR6 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 17:05
L89	1	socket re$1use$3 server (bind$3 OR bound$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 17:10
L90	3	socket re$1use$3 server (bind$3 OR bound$3)(thread OR process OR (multi ADJ thread$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 17:11
L94	3232	(719/310,311,312,313,314, 315,316,317,318,319,320). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 17:14
L95	9	80 AND 94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 17:16

L96	7	95 AND 81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/03/09 17:17
L97	12036	(709/200,201,203,227,228, 231,232).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 17:20
L98	22	((releas$3 OR re$1bind$3 OR re$1us$3)NEAR3 socket)AND 97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 17:23
L99	8	98 AND 81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 17:59
L102	39	releas$3 (re$1us$3 OR re$1bind$3) socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 18:03
L104	131	(data OR message OR request) parallel de$1multiplex$3 (data NEAR2 unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 18:04
L106	1	(data OR message OR request) parallel de$1multiplex$3 (data NEAR2 unit)socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/03/09 18:04